



# ***Bibliography***

- Agrawal, N., Verma, P., Singh, R. S., and Shahi, S. K. (2017). Ganoderma lucidum: a potent source of ligninolytic enzyme production. *International Journal of Advance Research*, 5(5), 1977-1981.
- Aherne, G. W., Hardcastle, A., and Nield, A. H. (1990). Cytotoxic drugs and the aquatic environment: estimation of bleomycin in river and water samples. *Journal of Pharmacy and Pharmacology*, 42(10), 741-742.
- Aldossary, S. A. (2019). Review on pharmacology of cisplatin: clinical use, toxicity and mechanism of resistance of cisplatin. *Biomedical and Pharmacology Journal*, 12(1), 7-15.
- Allwood, M., Stanley, A., and Wright, P. (2002). *The cytotoxics handbook*: Radcliffe Publishing.
- Arora, D. S., and Gill, P. K. (2001). Comparison of two assay procedures for lignin peroxidase. *Enzyme and Microbial Technology*, 28(7-8), 602-605.
- Asif, M. B., Hai, F. I., Singh, L., Price, W. E., and Nghiem, L. D. (2017). Degradation of pharmaceuticals and personal care products by white-rot fungi—A critical review. *Current Pollution Reports*, 3(2), 88-103.
- Auriol, M., Filali-Meknassi, Y., Tyagi, R. D., and Adams, C. D. (2007). Laccase-catalyzed conversion of natural and synthetic hormones from a municipal wastewater. *Water Research*, 41(15), 3281-3288.
- Azuma, T. (2018). Distribution of Anticancer Drugs in River Waters and Sediments of the Yodo River Basin, Japan. *Applied Sciences*, 8(11), 2043.
- Azuma, T., Arima, N., Tsukada, A., Hiram, S., Matsuoka, R., Moriwake, R., Ishiuchi H., Inoyama, T., Teranishi, Y., Yamaoka, M., Mino, Y., Hayashi, T., Fujita, Y., and Yamaoka, M. (2016). Detection of pharmaceuticals and phytochemicals together with

- their metabolites in hospital effluents in Japan, and their contribution to sewage treatment plant influents. *Science of The Total Environment*, 548, 189-197.
- Backhaus, T., Altenburger, R., Boedeker, W., Faust, M., Scholze, M., and Grime, L. H. (2000). Predictability of the toxicity of a multiple mixture of dissimilarly acting chemicals to *Vibrio fischeri*. *Environmental Toxicology and Chemistry: An International Journal*, 19(9), 2348-2356.
- Bai, X., Lutz, A., Carroll, R., Keteles, K., Dahlin, K., Murphy, M., and Nguyen, D. (2018). Occurrence, distribution, and seasonality of emerging contaminants in urban watersheds. *Chemosphere*, 200, 133-142.
- Bankole, P. O., Adekunle, A. A., Jeon, B.-H., and Govindwar, S. P. (2020). Novel cobiomass degradation of NSAIDs by two wood rot fungi, *Ganoderma applanatum* and *Laetiporus sulphureus*: ligninolytic enzymes induction, isotherm and kinetic studies. *Ecotoxicology and Environmental Safety*, 203, 110997.
- Bantle, J. A., Rayburn, J. R., Burton, D. T., Turley, S. D., Dawson, D. A., Dumont, J. N., Finch, R. A., Maurice, M. A., Fort, D. J., and Linder, G. (1994). Initial interlaboratory validation study of FETAX: phase I testing. *Journal of Applied Toxicology*, 14(3), 213-223.
- Barisci, S., Turkay, O., Ulusoy, E., Şeker, M. G., Yüksel, E., and Dimoglo, A. (2018). Electro-oxidation of cytostatic drugs: Experimental and theoretical identification of by-products and evaluation of ecotoxicological effects. *Chemical Engineering Journal*, 334, 1820-1827.
- Batt, A. L., Furlong, E. T., Mash, H. E., Glassmeyer, S. T., and Kolpin, D. W. (2017). The importance of quality control in validating concentrations of contaminants of emerging concern in source and treated drinking water samples. *Science of The Total Environment*, 579, 1618-1628.

- Besse, J.-P., Latour, J.-F., and Garric, J. (2012). Anticancer drugs in surface waters: what can we say about the occurrence and environmental significance of cytotoxic, cytostatic and endocrine therapy drugs? *Environment International*, 39(1), 73-86.
- Białk-Bielińska, A., Mulkiewicz, E., Stokowski, M., Stolte, S., and Stepnowski, P. (2017). Acute aquatic toxicity assessment of six anti-cancer drugs and one metabolite using biotest battery—biological effects and stability under test conditions. *Chemosphere*, 189, 689-698.
- Bhatt, P., Zhang, W., Lin, Z., Pang, S., Huang, Y., and Chen, S. (2020). Biodegradation of allethrin by a novel fungus *Fusarium proliferatum* strain CF<sub>2</sub>, isolated from contaminated soils. *Microorganisms*, 8(4), 593.
- Buchan, B. W., Relich, R. F., and Mahlen, S. D. (2019). Interim Clinical Laboratory Guideline for Biological Safety. *The American Society for Microbiology*. (Source: <https://asm.org/Articles/2019/January/Interim-Clinical-Laboratory-Guideline-for-Biologic>).
- Booker, V., Halsall, C., Llewellyn, N., Johnson, A., and Williams, R. (2014). Prioritising anticancer drugs for environmental monitoring and risk assessment purposes. *Science of The Total Environment*, 473, 159-170.
- Bray, F., Ferlay, J., Soerjomataram, I., Siegel, R. L., Torre, L. A., and Jemal, A. (2018). Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA: A Cancer Journal for Clinicians*, 68(6), 394-424.
- Broséus, R., Vincent, S., Aboulfadl, K., Daneshvar, A., Sauvé, S., Barbeau, B., and Prévost, M. (2009). Ozone oxidation of pharmaceuticals, endocrine disruptors and pesticides during drinking water treatment. *Water Research*, 43(18), 4707-4717.

- Buerge, I. J., Buser, H.-R., Poiger, T., and Müller, M. D. (2006). Occurrence and fate of the cytostatic drugs cyclophosphamide and ifosfamide in wastewater and surface waters. *Environmental Science and Technology*, 40(23), 7242-7250.
- Calafat, A., and Sampson, E. (2012). Laboratory procedure manual: bisphenol A and other environmental phenols and parabens in urine. Method number 6301.01. (Source: [cdc.gov/nchs](http://cdc.gov/nchs)).
- Calza, P., Medana, C., Sarro, M., Rosato, V., Aigotti, R., Baiocchi, C., and Minero, C. (2014). Photocatalytic degradation of selected anticancer drugs and identification of their transformation products in water by liquid chromatography–high resolution mass spectrometry. *Journal of Chromatography A*, 1362, 135-144.
- Caminada, D., Zaja, R., Smital, T., and Fent, K. (2008). Human pharmaceuticals modulate P-gp1 (ABCB1) transport activity in the fish cell line PLHC-1. *Aquatic Toxicology*, 90(3), 214-222.
- Castegnaro, M., De Méo, M., Laget, M., Michelon, J., Garren, L., Sportouch, M., and Hansel, S. (1997). Chemical degradation of wastes of antineoplastic agents. *International Archives of Occupational and Environmental Health*, 70(6), 378-384.
- Castellet-Rovira, F., Lucas, D., Villagrasa, M., Rodríguez-Mozaz, S., Barceló, D., and Sarrà, M. (2018). *Stropharia rugosoannulata* and *Gymnopilus luteofolius*: Promising fungal species for pharmaceutical biodegradation in contaminated water. *Journal of Environmental Management*, 207, 396-404.
- Catastini, C., Mullot, J.-U., Boukari, S., Mazellier, P., Levi, Y., Cervantes, P., and Ormsby, J.N. (2008). Identification de molécules anticancéreuses dans les effluents hospitaliers. *European Journal of Water Quality*, 39(2), 171-180.
- CDER, F. (1996). Guidance for industry: single dose acute toxicity testing for pharmaceuticals (Final). (Source: <http://www.fda.gov>, 1996).

- Česen, M., Eleršek, T., Novak, M., Žegura, B., Kosjek, T., Filipič, M., and Heath, E. (2016). Ecotoxicity and genotoxicity of cyclophosphamide, ifosfamide, their metabolites/transformation products and their mixtures. *Environmental Pollution*, 210, 192-201.
- Česen, M., Kosjek, T., Busetti, F., Kompare, B., and Heath, E. (2016). Human metabolites and transformation products of cyclophosphamide and ifosfamide: analysis, occurrence and formation during abiotic treatments. *Environmental Science and Pollution Research*, 23(11), 11209-11223.
- Česen, M., Kosjek, T., Laimou-Geraniou, M., Kompare, B., Širok, B., Lambropolou, D., and Heath, E. (2015). Occurrence of cyclophosphamide and ifosfamide in aqueous environment and their removal by biological and abiotic wastewater treatment processes. *Science of The Total Environment*, 527, 465-473.
- Chen, S., Blaney, L., Chen, P., Deng, S., Hopanna, M., Bao, Y., and Yu, G. (2019). Ozonation of the 5-fluorouracil anticancer drug and its prodrug capecitabine: Reaction kinetics, oxidation mechanisms, and residual toxicity. *Frontiers of Environmental Science and Engineering*, 13(4), 59.
- Coetsier, C., Spinelli, S., Lin, L., Roig, B., and Touraud, E. (2009). Discharge of pharmaceutical products (PPs) through a conventional biological sewage treatment plant: MECs vs PECs? *Environment International*, 35(5), 787-792.
- Couto, S. R., Moldes, D., and Sanroman, M. A. (2006). Optimum stability conditions of pH and temperature for ligninase and manganese-dependent peroxidase from *Phanerochaete chrysosporium*. Application to in vitro decolorization of Poly R-478 by MnP. *World Journal of Microbiology and Biotechnology*, 22(6), 607-612.
- Cristóvão, M., Janssens, R., Yadav, A., Pandey, S., Luis, P., Van der Bruggen, B., Dubey, K.K., Mandal, M.K., Crespo, J.G., and Pereira, V. (2020). Predicted concentrations of

- anticancer drugs in the aquatic environment: What should we monitor and where should we treat? *Journal of Hazardous Materials*, 122330.
- Cristóvão, M., Torrejais, J., Janssens, R., Luis, P., Van der Bruggen, B., Dubey, K.K, Mandal, M.K., Bronze, M.R., Crespo, J.G., and Pereira, V. (2019). Treatment of anticancer drugs in hospital and wastewater effluents using nanofiltration. *Separation and Purification Technology*, 224, 273-280.
- Cruz-Morató, C., Lucas, D., Llorca, M., Rodriguez-Mozaz, S., Gorga, M., Petrovic, M., Barcelo, D., Vicent, T., Sarra, M., and Marco-Urrea, E. (2014). Hospital wastewater treatment by fungal bioreactor: removal efficiency for pharmaceuticals and endocrine disruptor compounds. *Science of The Total Environment*, 493, 365-376.
- da Costa Araújo, A. P., Mesak, C., Montalvão, M. F., Freitas, Í. N., Chagas, T. Q., and Malafaia, G. (2019). Anti-cancer drugs in aquatic environment can cause cancer: insight about mutagenicity in tadpoles. *Science of The Total Environment*, 650, 2284-2293.
- da Rosa, A. P. P., Cavalcante, R. P., da Silva, D. A., da Silva, L. d. M., da Silva, T. F., Gozzi, F., McGlynn, E., Brady-Boyd, A., Casagrande, G.A., Wender, H., Cesar-de-Oliveira, S., and Junior, A.M. (2019). H<sub>2</sub>O<sub>2</sub>-assisted photoelectrocatalytic degradation of Mitoxantrone using CuO nanostructured films: Identification of by-products and toxicity. *Science of The Total Environment*, 651, 2845-2856.
- Das, M. T., Budhreja, V., Mishra, M., and Thakur, I. S. (2012). Toxicological evaluation of paper mill sewage sediment treated by indigenous dibenzofuran-degrading *Pseudomonas* sp. *Bioresource Technology*, 110, 71-78.
- Dehghanpour, S., Pourzamani, H. R., Amin, M. M., and Ebrahimpour, K. (2020). Evaluation of toxic effects of platinum-based antineoplastic drugs (Cisplatin, Carboplatin and Oxaliplatin) on green alga *Chlorella vulgaris*. *Aquatic Toxicology*, 105495.

- Delgado, L. F., Faucet-Marquis, V., Pfohl-Leszkowicz, A., Dorandeu, C., Marion, B., Schetrite, S., and Albasi, C. (2011). Cytotoxicity micropollutant removal in a crossflow membrane bioreactor. *Bioresource Technology*, 102(6), 4395-4401.
- DeYoung, D., Bantle, J., Hull, M., and Burks, S. (1996). Differences in sensitivity to developmental toxicants as seen in *Xenopus* and *Pimephales* embryos. *Bulletin of Environmental Contamination and Toxicology*, 56(1), 143-150.
- Du, B., Haddad, S. P., Luek, A., Scott, W. C., Saari, G. N., Kristofco, L. A., Connors, K. A., Rash, C., Rasmussen, J. B., Chambliss, C. K., and Brooks, B. W. (2014). Bioaccumulation and trophic dilution of human pharmaceuticals across trophic positions of an effluent-dependent wadeable stream. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 369(1656), 20140058.
- Dubey, K. K., Kumar, P., Labrou, N. E., and Shukla, P. (2017). Biotherapeutic potential and mechanisms of action of colchicine. *Critical Reviews in Biotechnology*, 37(8), 1038-1047.
- Eibes, G., Debernardi, G., Feijoo, G., Moreira, M. T., and Lema, J. M. (2011). Oxidation of pharmaceutically active compounds by a ligninolytic fungal peroxidase. *Biodegradation*, 22(3), 539-550.
- El-Kady, A. A., and Abdel-Wahhab, M. A. (2018). Occurrence of trace metals in foodstuffs and their health impact. *Trends in Food Science and Technology*, 75, 36-45.
- Elerse, T., Milavec, S., Korošec, M., Brezovsek, P., Negreira, N., Zonja, B., Lopez-de-Alda, M., Barcelo, D., Ester, H., Ščančar, J. and Filipic, M. (2016). Toxicity of the mixture of selected antineoplastic drugs against aquatic primary producers. *Environmental Science and Pollution Research*, 23(15), 14780-14790.



- Fabiańska, A., Ofiarska, A., Fiszka-Borzyszkowska, A., Stepnowski, P., and Siedlecka, E. M. (2015). Electrodegradation of ifosfamide and cyclophosphamide at BDD electrode: Decomposition pathway and its kinetics. *Chemical Engineering Journal*, 276, 274-282.
- Ferrando-Climent, L., Cruz-Morató, C., Marco-Urrea, E., Vicent, T., Sarrà, M., Rodríguez-Mozaz, S., and Barceló, D. (2015). Non conventional biological treatment based on *Trametes versicolor* for the elimination of recalcitrant anticancer drugs in hospital wastewater. *Chemosphere*, 136, 9-19.
- Ferrando-Climent, L., Gonzalez-Olmos, R., Anfruns, A., Aymerich, I., Corominas, L., Barceló, D., and Rodríguez-Mozaz, S. (2017). Elimination study of the chemotherapy drug tamoxifen by different advanced oxidation processes: Transformation products and toxicity assessment. *Chemosphere*, 168, 284-292.
- Ferrando-Climent, L., Rodríguez-Mozaz, S., and Barceló, D. (2013). Development of a UPLC-MS/MS method for the determination of ten anticancer drugs in hospital and urban wastewaters, and its application for the screening of human metabolites assisted by information-dependent acquisition tool (IDA) in sewage samples. *Analytical and bioanalytical chemistry*, 405(18), 5937-5952.
- Ferrando-Climent, L., Rodríguez-Mozaz, S., and Barceló, D. (2014). Incidence of anticancer drugs in an aquatic urban system: From hospital effluents through urban wastewater to natural environment. *Environmental Pollution*, 193, 216-223.
- Ferrando Climent, L. (2016). Analysis of chemotherapy drugs and related compounds in aquatic environment: removal, transformation and risk evaluation in eco-friendly and advanced technologies. (Source: <https://dugi-doc.udg.edu>)
- Ferre-Aracil, J., Valcárcel, Y., Negreira, N., de Alda, M. L., Barceló, D., Cardona, S., and Navarro-Laboulais, J. (2016). Ozonation of hospital raw wastewaters for cytostatic

- compounds removal. Kinetic modelling and economic assessment of the process. *Science of The Total Environment*, 556, 70-79.
- Filipič, M. (2014). Fate and Effects of Cytostatic Pharmaceuticals in the Environment and the Identification of Biomarkers for and Improved Risk Assessment on Environmental Exposure: European commission, Research and innovation. (Source: <https://cordis.europa.eu/project/id/265264/results>)
- Franquet-Griell, H., Medina, A., Sans, C., and Lacorte, S. (2017). Biological and photochemical degradation of cytostatic drugs under laboratory conditions. *Journal of Hazardous Materials*, 323, 319-328.
- Garcia-Ac, A., Broséus, R., Vincent, S., Barbeau, B., Prévost, M., and Sauvé, S. (2010). Oxidation kinetics of cyclophosphamide and methotrexate by ozone in drinking water. *Chemosphere*, 79(11), 1056-1063.
- García, L. F., Lozano, O. L., Lorenzo, E. V., Venta, M. B., Rodríguez, Y. R., Castro, C. H., Trujillo, C. G., and Torres, I. F. (2020). Review of cytostatic wastewater degradation by ozone and advanced oxidation processes: results from Cuban studies. *Environmental Reviews*, 28(1), 21-31.
- Garriga, M., Almaraz, M., and Marchiaro, A. (2017). Determination of reducing sugars in extracts of *Undaria pinnatifida* (harvey) algae by UV-visible spectrophotometry (DNS method). *Desarro. E Innovación En Ing*, 444-454.
- Gerlak, A. K., House-Peters, L., Varady, R. G., Albrecht, T., Zúñiga-Terán, A., de Grenade, R. R., Cook, C., and Scott, C. A. (2018). Water security: A review of place-based research. *Environmental Science and Policy*, 82, 79-89.
- Ghafuri, Y., Yunesian, M., Nabizadeh, R., Mesdaghinia, A., Dehghani, M., and Alimohammadi, M. (2018). Platinum cytotoxic drugs in the municipal wastewater and

- drinking water, a validation method and health risk assessment. *Human and Ecological Risk Assessment: An International Journal*, 24(3), 784-796.
- Ghafuria, Y., Yunesian, M., Nabizadeh, R., Mesdaghinia, A., Deghani, M., and Alimohammadi, M. (2018). Environmental risk assessment of platinum cytotoxic drugs: a focus on toxicity characterization of hospital effluents. *International Journal of Environmental Science and Technology*, 15(9), 1983-1990.
- Golan-Rozen, N., Chefetz, B., Ben-Ari, J., Geva, J., and Hadar, Y. (2011). Transformation of the recalcitrant pharmaceutical compound carbamazepine by *Pleurotus ostreatus*: role of cytochrome P450 monooxygenase and manganese peroxidase. *Environmental Science and Technology*, 45(16), 6800-6805.
- Gómez-Canela, C., Cortés-Francisco, N., Oliva, X., Pujol, C., Ventura, F., Lacorte, S., and Caixach, J. (2012). Occurrence of cyclophosphamide and epirubicin in wastewaters by direct injection analysis–liquid chromatography–high-resolution mass spectrometry. *Environmental Science and Pollution Research*, 19(8), 3210-3218.
- Gómez-Canela, C., Ventura, F., Caixach, J., and Lacorte, S. (2014). Occurrence of cytostatic compounds in hospital effluents and wastewaters, determined by liquid chromatography coupled to high-resolution mass spectrometry. *Analytical and Bioanalytical Chemistry*, 406(16), 3801-3814.
- Goullé, J.-P., Sausseureau, E., Mahieu, L., Cellier, D., Spiroux, J., and Guerbet, M. (2012). Importance of anthropogenic metals in hospital and urban wastewater: its significance for the environment. *Bulletin of Environmental Contamination and Toxicology*, 89(6), 1220-1224.
- Gouveia, T. I., Alves, A., and Santos, M. S. (2019). New insights on cytostatic drug risk assessment in aquatic environments based on measured concentrations in surface waters. *Environment International*, 133, 105236.

- Grandclément, C., Seyssiecq, I., Piram, A., Wong-Wah-Chung, P., Vanot, G., Tiliacos, N., Roche, N., and Doumenq, P. (2017). From the conventional biological wastewater treatment to hybrid processes, the evaluation of organic micropollutant removal: a review. *Water Research*, *111*, 297-317.
- Grelska, A., and Noszczyńska, M. (2020). White rot fungi can be a promising tool for removal of bisphenol A, bisphenol S, and nonylphenol from wastewater. *Environmental Science and Pollution Research*, 1-19.
- Grung, M., Källqvist, T., Sakshaug, S., Skurtveit, S., and Thomas, K. V. (2008). Environmental assessment of Norwegian priority pharmaceuticals based on the EMEA guideline. *Ecotoxicology and Environmental Safety*, *71*(2), 328-340.
- Gu, G., Yin, H., Zhu, Q., Shen, L., Zhang, K., Liu, M., and Wu, Q. (2019). Recognition of the prioritized types and individual of pharmaceuticals and personal care products (PPCPs) in the drinking water of Shanghai and a health risk assessment. *Human and Ecological Risk Assessment: An International Journal*, *25*(5), 1207-1221.
- Guo, R., Zheng, F., and Chen, J. (2015). Evaluation of the aquatic toxic effect varied during the degradation of capecitabine under the environmental abiotic and biotic processes. *RSC Advances*, *5*(94), 76772-76778.
- Guzel, E. Y., Cevik, F., and Daglioglu, N. (2018). Determination of pharmaceutical active compounds in Ceyhan River, Turkey: Seasonal, spatial variations and environmental risk assessment. *Human and Ecological Risk Assessment: An International Journal*, 1-16.
- Habibzadeh, M., Chaibakhsh, N., and Naeemi, A. S. (2018). Optimized treatment of wastewater containing cytotoxic drugs by living and dead biomass of the freshwater microalga, *Chlorella vulgaris*. *Ecological Engineering*, *111*, 85-93.

- Halling-Sørensen, B., Nors Nielsen, S., Lanzky, P. F., Ingerslev, F., Holten Lützhøft, H. C., and Jørgensen, S. E. (1998). Occurrence, fate and effects of pharmaceutical substances in the environment- A review. *Chemosphere*, 36(2), 357-393.
- Hann, S., Stefánka, Z., Lenz, K., and Stingeder, G. (2005). Novel separation method for highly sensitive speciation of cancerostatic platinum compounds by HPLC–ICP–MS. *Analytical and Bioanalytical Chemistry*, 381(2), 405-412.
- Hansel, S., Castegnaro, M., Sportouch, M., De Meo, M., Milhavet, J., Laget, M., and Dumenil, G. (1996). Chemical degradation of wastes of antineoplastic agents: cyclophosphamide, ifosfamide and melphalan. *International Archives of Occupational and Environmental Health*, 69(2), 109-114.
- Hariharan, H., and Padma, N. (2013). Optimization of lignin peroxidase, manganese peroxidase, and lac production from *Ganoderma lucidum* under solid state fermentation of pineapple leaf. *Bioresources*, 8(1), 250-271.
- Haroune, L., Saibi, S., Bellenger, J.-P., and Cabana, H. (2014). Evaluation of the efficiency of *Trametes hirsuta* for the removal of multiple pharmaceutical compounds under low concentrations relevant to the environment. *Bioresource Technology*, 171, 199-202.
- Heath, E., Isidori, M., Kosjek, T., and Filipič, M. (2020). Fate and effects of anticancer drugs in the environment: Springer Nature, 469.
- Heberer, T. (2002). Occurrence, fate, and removal of pharmaceutical residues in the aquatic environment: a review of recent research data. *Toxicology Letters*, 131(1-2), 5-17.
- Henschel, K.-P., Wenzel, A., Diedrich, M., and Fliedner, A. (1997). Environmental hazard assessment of pharmaceuticals. *Regulatory toxicology and Pharmacology*, 25(3), 220-225.

- Hernando, M. D., Mezcuca, M., Fernández-Alba, A. R., and Barceló, D. (2006). Environmental risk assessment of pharmaceutical residues in wastewater effluents, surface waters and sediments. *Talanta*, 69(2), 334-342.
- Heynen, N. (2016). Urban political ecology II: The abolitionist century. *Progress in Human Geography*, 40(6), 839-845.
- Hirose, J., Kondo, F., Nakano, T., Kobayashi, T., Hiro, N., Ando, Y., Takenaka, H., and Sano, K. (2005). Inactivation of antineoplastics in clinical wastewater by electrolysis. *Chemosphere*, 60(8), 1018-1024.
- Huo, Z., Wang, S., Shao, H., Wang, H., and Xu, G. (2020). Radiolytic degradation of anticancer drug capecitabine in aqueous solution: kinetics, reaction mechanism, and toxicity evaluation. *Environmental Science and Pollution Research*, 1-10.
- Isidori, M., Lavorgna, M., Russo, C., Kundi, M., Žegura, B., Novak, M., Filipic, M., Misik, M., Knasmueller, S., de Alda, M. L., Barcelo, D., Zonja, B., Cesen, M., Scancar, J., Kosjek, T., and Heath, E. (2016). Chemical and toxicological characterisation of anticancer drugs in hospital and municipal wastewaters from Slovenia and Spain. *Environmental pollution*, 219, 275-287.
- Janssens, R., Cristóvão, B. M., Bronze, M. R., Crespo, J. G., Pereira, V. J., and Luis, P. (2020). Photocatalysis Using UV-A and UV-C Light Sources for Advanced Oxidation of Anti-Cancer Drugs Spiked in Laboratory-Grade Water and Synthetic Urine. *Industrial and Engineering Chemistry Research*, 59(2), 647-653.
- Janssens, R., Cristovao, M., Bronze, M., Crespo, J., Pereira, V., and Luis, P. (2019). Coupling of nanofiltration and UV, UV/TiO<sub>2</sub> and UV/H<sub>2</sub>O<sub>2</sub> processes for the removal of anti-cancer drugs from real secondary wastewater effluent. *Journal of Environmental Chemical Engineering*, 7(5), 103351.

- Janssens, R., Mandal, M. K., Dubey, K. K., and Luis, P. (2017). Slurry photocatalytic membrane reactor technology for removal of pharmaceutical compounds from wastewater: Towards cytostatic drug elimination. *Science of The Total Environment*, 599, 612-626.
- Jayasinghe, C., Intiaj, A., Hur, H., Lee, G. W., Lee, T. S., & Lee, U. Y. (2008). Favourable culture conditions for mycelial growth of Korean wild strains in *Ganoderma lucidum*. *Mycobiology*, 36(1), 28-33.
- Jensen, K. M., Kahl, M. D., Makynen, E. A., Korte, J. J., Leino, R. L., Butterworth, B. C., and Ankley, G. T. (2004). Characterization of responses to the antiandrogen flutamide in a short-term reproduction assay with the fathead minnow. *Aquatic Toxicology*, 70(2), 99-110.
- Johnson, A. C., Jürgens, M. D., Williams, R. J., Kümmerer, K., Kortenkamp, A., and Sumpter, J. P. (2008). Do cytotoxic chemotherapy drugs discharged into rivers pose a risk to the environment and human health? An overview and UK case study. *Journal of Hydrology*, 348(1-2), 167-175.
- Jones, B., Little, A. C., Boothroyd, L., Debruine, L. M., Feinberg, D. R., Smith, M. J., Cornwell, R. E., Moore, F. R., and Perrett, D. I. (2005). Commitment to relationships and preferences for femininity and apparent health in faces are strongest on days of the menstrual cycle when progesterone level is high. *Hormones and Behaviour*, 48(3), 283-290.
- Junnarkar, N., Pandhi, N., Raiyani, N., Bhatt, N., and Raiyani, R. (2016). Production of LiP by *Phanerochaete chrysosporium* MTCC-787 through solid state fermentation of wheat straw and assessing its activity against reactive black B. *International Journal of Advance Research*, 4(1), 812-819.

- Jureczko, M., and Kalka, J. (2020). Cytostatic pharmaceuticals as water contaminants. *European Journal of Pharmacology*, 866, 172816.
- Jureczko, M., and Przysaś, W. (2019). Ecotoxicity risk of presence of two cytostatic drugs: bleomycin and vincristine and their binary mixture in aquatic environment. *Ecotoxicology and Environmental Safety*, 172, 210-215.
- Jureczko, M., Przysaś, W., Krawczyk, T., Gonciarz, W., and Rudnicka, K. (2021). White-rot fungi-mediated biodegradation of cytostatic drugs-bleomycin and vincristine. *Journal of Hazardous Materials*, 407, 124632.
- Kelbert, M., Pereira, C. S., Daronch, N. A., Cesca, K., Michels, C., de Oliveira, D., and Soares, H. M. (2021). Laccase as an efficacious approach to remove anticancer drugs: A study of doxorubicin degradation, kinetic parameters, and toxicity assessment. *Journal of Hazardous Materials*, 409, 124520.
- Kim, I., Yamashita, N., and Tanaka, H. (2009). Photodegradation of pharmaceuticals and personal care products during UV and UV/H<sub>2</sub>O<sub>2</sub> treatments. *Chemosphere*, 77(4), 518-525.
- Kirk, T. K., Schultz, E., Connors, W., Lorenz, L., and Zeikus, J. (1978). Influence of culture parameters on lignin metabolism by *Phanerochaete chrysosporium*. *Archives of Microbiology*, 117(3), 277-285.
- Kobayashi, T., Hirose, J., Sano, K., Kato, R., Ijiri, Y., Takiuchi, H., Tanaka, H., Goto, E., Tamai, H., and Nakano, T. (2012). Application of electrolysis for detoxification of an antineoplastic in urine. *Ecotoxicology and Environmental Safety*, 78, 123-127.
- Koltsakidou, A., Antonopoulou, M., Evgenidou, E., Konstantinou, I., and Lambropoulou, D. (2017). Cytarabine degradation by simulated solar assisted photocatalysis using TiO<sub>2</sub>. *Chemical Engineering Journal*, 316, 823-831.



- Kosjek, T., and Heath, E. (2011). Occurrence, fate and determination of cytostatic pharmaceuticals in the environment. *TrAC Trends in Analytical Chemistry*, 30(7), 1065-1087.
- Kosjek, T., Negreira, N., Heath, E., de Alda, M. L., and Barceló, D. (2018). Aerobic activated sludge transformation of vincristine and identification of the transformation products. *Science of The Total Environment*, 610, 892-904.
- Kosjek, T., Perko, S., Žigon, D., and Heath, E. (2013). Fluorouracil in the environment: analysis, occurrence, degradation and transformation. *Journal of Chromatography A*, 1290, 62-72.
- Kovács, R., Bakos, K., Urbányi, B., Kövesi, J., Gazsi, G., Csepeli, A., Appl, A. J., Bencsik, D., Csenki, Z., and Horváth, Á. (2016). Acute and sub-chronic toxicity of four cytostatic drugs in zebrafish. *Environmental Science and Pollution Research*, 23(15), 14718-14729.
- Kovalova, L., McArdell, C. S., and Hollender, J. (2009). Challenge of high polarity and low concentrations in analysis of cytostatics and metabolites in wastewater by hydrophilic interaction chromatography/tandem mass spectrometry. *Journal of Chromatography A*, 1216(7), 1100-1108.
- Kovalova, L., Siegrist, H., Von Gunten, U., Eugster, J., Hagenbuch, M., Wittmer, A., Moser, R., and McArdell, C. S. (2013). Elimination of micropollutants during post-treatment of hospital wastewater with powdered activated carbon, ozone, and UV. *Environmental Science and Technology*, 47(14), 7899-7908.
- Kumar, P. (2019). Numerical quantification of current status quo and future prediction of water quality in eight Asian megacities: challenges and opportunities for sustainable water management. *Environmental Monitoring and Assessment*, 191(6), 1-12.

- Kümmerer, K. (2001). Drugs in the environment: emission of drugs, diagnostic aids and disinfectants into wastewater by hospitals in relation to other sources—a review. *Chemosphere*, 45(6-7), 957-969.
- Kümmerer, K., Haiß, A., Schuster, A., Hein, A., and Ebert, I. (2016). Antineoplastic compounds in the environment—substances of special concern. *Environmental Science and Pollution Research*, 23(15), 14791-14804.
- Kümmerer, K., Steger-Hartmann, T., and Meyer, M. (1997). Biodegradability of the anti-tumour agent ifosfamide and its occurrence in hospital effluents and communal sewage. *Water Research*, 31(11), 2705-2710.
- Kuwahara, M., Glenn, J. K., Morgan, M. A., and Gold, M. H. (1984). Separation and characterization of two extracellular H<sub>2</sub>O<sub>2</sub>-dependent oxidases from ligninolytic cultures of *Phanerochaete chrysosporium*. *FEBS letters*, 169(2), 247-250.
- Lagesson, A., Fahlman, J., Brodin, T., Fick, J., Jonsson, M., Byström, P., and Klaminder, J. (2016). Bioaccumulation of five pharmaceuticals at multiple trophic levels in an aquatic food web—Insights from a field experiment. *Science of The Total Environment*, 568, 208-215.
- Lai, W. W.-P., Lin, H. H.-H., and Lin, A. Y.-C. (2015). TiO<sub>2</sub> photocatalytic degradation and transformation of oxazaphosphorine drugs in an aqueous environment. *Journal of Hazardous Materials*, 287, 133-141.
- Larson, R. R., Khazaeli, M., and Dillon, H. K. (2003). Development of an HPLC method for simultaneous analysis of five antineoplastic agents. *Applied Occupational and Environmental Hygiene*, 18(2), 109-119.
- Lazarova, Z., and Spendlingwimmer, R. (2008). Treatment of yellow water by membrane separations and advanced oxidation methods. *Water Science and Technology*, 58(2), 419-426.

- Lenz, K., Mahnik, S., Weissenbacher, N., Mader, R., Krenn, P., Hann, S., Koellensperger, G., Uhl, S., Knasmüller, S., Ferk, F., and Fuerhacker, M. (2007). Monitoring, removal and risk assessment of cytostatic drugs in hospital wastewater. *Water Science and Technology*, 56(12), 141-149.
- Lester, Y., Avisar, D., Gozlan, I., and Mamane, H. (2011). Removal of pharmaceuticals using combination of UV/H<sub>2</sub>O<sub>2</sub>/O<sub>2</sub> advanced oxidation process. *Water Science and Technology*, 64(11), 2230-2238.
- Li, W., Nanaboina, V., Chen, F., and Korshin, G. V. (2016). Removal of polycyclic synthetic musks and antineoplastic drugs in ozonated wastewater: quantitation based on the data of differential spectroscopy. *Journal of Hazardous Materials*, 304, 242-250.
- Lin, A. Y.-C., Hsueh, J. H.-F., and Hong, P. A. (2015). Removal of antineoplastic drugs cyclophosphamide, ifosfamide, and 5-fluorouracil and a vasodilator drug pentoxifylline from wastewaters by ozonation. *Environmental Science and Pollution Research*, 22(1), 508-515.
- Lin, H. H.-H., and Lin, A. Y.-C. (2014). Photocatalytic oxidation of 5-fluorouracil and cyclophosphamide via UV/TiO<sub>2</sub> in an aqueous environment. *Water Research*, 48, 559-568.
- Liu, X., Zhang, J., Yin, J., Duan, H., Wu, Y., and Shao, B. (2010). Analysis of hormone antagonists in clinical and municipal wastewater by isotopic dilution liquid chromatography tandem mass spectrometry. *Analytical and Bioanalytical Chemistry*, 396(8), 2977-2985.
- Lojk, J., Repas, J., Veranič, P., Bregar, V. B., and Pavlin, M. (2020). Toxicity mechanisms of selected engineered nanoparticles on human neural cells in vitro. *Toxicology*, 152364.
- Lucas, D., Castellet-Rovira, F., Villagrasa, M., Badia-Fabregat, M., Barceló, D., Vicent, T., Caminel, G., Sarra, M., and Rodríguez-Mozaz, S. (2018). The role of sorption processes

- in the removal of pharmaceuticals by fungal treatment of wastewater. *Science of The Total Environment*, 610, 1147-1153.
- Lutterbeck, C. A., Baginska, E., Machado, Ê. L., and Kümmerer, K. (2015). Removal of the anti-cancer drug methotrexate from water by advanced oxidation processes: aerobic biodegradation and toxicity studies after treatment. *Chemosphere*, 141, 290-296.
- Lutterbeck C.A., Machado Ê.L., Kümmerer K. (2020). Degradation and elimination of anticancer drugs by water and wastewater treatment – toxicity and biodegradability before and after the treatment. In: Heath E., Isidori M., Kosjek T., Filipič M. (eds) *Fate and Effects of Anticancer Drugs in the Environment*. Springer, Cham.
- Lutterbeck, C. A., Wilde, M. L., Baginska, E., Leder, C., Machado, Ê. L., and Kümmerer, K. (2015). Degradation of 5-FU by means of advanced (photo) oxidation processes: UV/H<sub>2</sub>O<sub>2</sub>, UV/Fe<sup>2+</sup>-H<sub>2</sub>O<sub>2</sub> and UV/TiO<sub>2</sub>—comparison of transformation products, ready biodegradability and toxicity. *Science of The Total Environment*, 527, 232-245.
- Lutterbeck, C. A., Wilde, M. L., Baginska, E., Leder, C., Machado, Ê. L., and Kümmerer, K. (2016). Degradation of cyclophosphamide and 5-fluorouracil by UV and simulated sunlight treatments: assessment of the enhancement of the biodegradability and toxicity. *Environmental Pollution*, 208, 467-476.
- Mahnik, S., Lenz, K., Weissenbacher, N., Mader, R., and Fuerhacker, M. (2007). Fate of 5-fluorouracil, doxorubicin, epirubicin, and daunorubicin in hospital wastewater and their elimination by activated sludge and treatment in a membrane-bio-reactor system. *Chemosphere*, 66(1), 30-37.
- Mahnik, S. N., Rizovski, B., Fuerhacker, M., and Mader, R. M. (2004). Determination of 5-fluorouracil in hospital effluents. *Analytical and Bioanalytical Chemistry*, 380(1), 31-35.

- Mahnik, S. N., Rizovski, B., Fuerhacker, M., and Mader, R. M. (2006). Development of an analytical method for the determination of anthracyclines in hospital effluents. *Chemosphere*, 65(8), 1419-1425.
- Marco-Urrea, E., Pérez-Trujillo, M., Vicent, T., and Caminal, G. (2009). Ability of white-rot fungi to remove selected pharmaceuticals and identification of degradation products of ibuprofen by *Trametes versicolor*. *Chemosphere*, 74(6), 765-772.
- Márta, Z., Bobály, B., Fekete, J., Magda, B., Imre, T., Mészáros, K. V., Balint, M., and Szabó, P. T. (2018). Simultaneous determination of thirteen different steroid hormones using micro UHPLC-MS/MS with on-line SPE system. *Journal of Pharmaceutical and Biomedical Analysis*, 150, 258-267.
- Martín, J., Camacho-Muñoz, D., Santos, J. L., Aparicio, I., and Alonso, E. (2014). Occurrence and ecotoxicological risk assessment of 14 cytostatic drugs in wastewater. *Water, Air, and Soil Pollution*, 225(3), 1896.
- Martín, J., Camacho-Muñoz, D., Santos, J. L., Aparicio, I., and Alonso, E. (2011). Simultaneous determination of a selected group of cytostatic drugs in water using high-performance liquid chromatography–triple-quadrupole mass spectrometry. *Journal of Separation Science*, 34(22), 3166-3177.
- Mastroianni, N., Bleda, M. J., de Alda, M. L., and Barceló, D. (2016). Occurrence of drugs of abuse in surface water from four Spanish river basins: Spatial and temporal variations and environmental risk assessment. *Journal of Hazardous Materials*, 316, 134-142.
- Mater, N., Geret, F., Castillo, L., Faucet-Marquis, V., Albasi, C., and Pfohl-Leszkowicz, A. (2014). In vitro tests aiding ecological risk assessment of ciprofloxacin, tamoxifen and cyclophosphamide in range of concentrations released in hospital wastewater and surface water. *Environment international*, 63, 191-200.

- McKnight, J. A. (2003). Principles of chemotherapy. *Clinical techniques in small animal practice*, 18(2), 67-72.
- Mir-Tutusaus, J. A., Baccar, R., Caminal, G., and Sarrà, M. (2018). Can white-rot fungi be a real wastewater treatment alternative for organic micropollutants removal? A review. *Water Research*, 138, 137-151.
- Mir-Tutusaus, J. A., Sarrà, M., and Caminal, G. (2016). Continuous treatment of non-sterile hospital wastewater by *Trametes versicolor*: how to increase fungal viability by means of operational strategies and pretreatments. *Journal of Hazardous Materials*, 318, 561-570.
- Mišík, M., Filipic, M., Nersesyanyan, A., Kundi, M., Isidori, M., and Knasmueller, S. (2019). Environmental risk assessment of widely used anticancer drugs (5-fluorouracil, cisplatin, etoposide, imatinib mesylate). *Water Research*, 164, 114953.
- Montgomery, M. A., and Elimelech, M. (2007). Water and sanitation in developing countries: including health in the equation. *Environmental Science and Technology*, 41(1), 17-24.
- Mukherjee, S., Mehta, D., Dhangar, K., and Kumar, M. (2020). Environmental Fate, Distribution and State-of-the-art Removal of Antineoplastic Drugs: A Comprehensive Insight. *Chemical Engineering Journal*, 127184.
- Naghdi, M., Taheran, M., Brar, S. K., Kermanshahi-Pour, A., Verma, M., and Surampalli, R. Y. (2018). Removal of pharmaceutical compounds in water and wastewater using fungal oxidoreductase enzymes. *Environmental Pollution*, 234, 190-213.
- Nakano, M., Nakazawa, M., Sasaki, Y., Takeuchi, E., Miho, Y., Ishikawa, H., . . . Watanabe, A. (2013). Portable information terminal, display control device, display control method, and computer readable program therefore: Google Patents. (Source: <https://patents.google.com/patent/US8375334B2/en>).

- Nassour, C., Barton, S. J., Nabhani-Gebara, S., Saab, Y., and Barker, J. (2019). Occurrence of anticancer drugs in the aquatic environment: a systematic review. *Environmental Science and Pollution Research*, 1-9.
- Nasreen, Z., Kausar, T., Nadeem, M., & Bajwa, R. (2005). Study of different growth parameters in *Ganoderma lucidum*. *Micología Aplicada Internacional*, 17(1), 5-8.
- Negreira, N., de Alda, M. L., and Barceló, D. (2013). On-line solid phase extraction–liquid chromatography–tandem mass spectrometry for the determination of 17 cytostatics and metabolites in waste, surface and ground water samples. *Journal of Chromatography A*, 1280, 64-74.
- Negreira, N., de Alda, M. L., and Barceló, D. (2014a). Cytostatic drugs and metabolites in municipal and hospital wastewaters in Spain: filtration, occurrence, and environmental risk. *Science of The Total Environment*, 497, 68-77.
- Negreira, N., de Alda, M. L., and Barceló, D. (2014b). Study of the stability of 26 cytostatic drugs and metabolites in wastewater under different conditions. *Science of The Total Environment*, 482, 389-398.
- Novak, M., Žegura, B., Modic, B., Heath, E., and Filipič, M. (2017). Cytotoxicity and genotoxicity of anticancer drug residues and their mixtures in experimental model with zebrafish liver cells. *Science of The Total Environment*, 601, 293-300.
- Nussbaumer, S., Fleury-Souverain, S., Antinori, P., Sadeghipour, F., Hochstrasser, D. F., Bonnabry, P., Veuthey, J-L., and Geiser, L. (2010). Simultaneous quantification of ten cytotoxic drugs by a validated LC–ESI–MS/MS method. *Analytical and Bioanalytical Chemistry*, 398(7), 3033-3042.
- Ocampo-Pérez, R., Rivera-Utrilla, J., Mota, A. J., Sánchez-Polo, M., and Leyva-Ramos, R. (2016). Effect of radical peroxide promoters on the photodegradation of cytarabine antineoplastic in water. *Chemical Engineering Journal*, 284, 995-1002.

- Ocampo-Pérez, R., Sánchez-Polo, M., Rivera-Utrilla, J., and Leyva-Ramos, R. (2010). Degradation of antineoplastic cytarabine in aqueous phase by advanced oxidation processes based on ultraviolet radiation. *Chemical Engineering Journal*, 165(2), 581-588.
- Olicón-Hernández, D. R., González-López, J., and Aranda, E. (2017). Overview on the biochemical potential of filamentous fungi to degrade pharmaceutical compounds. *Frontiers in Microbiology*, 8, 1792.
- Orias, F., and Perrodin, Y. (2013). Characterisation of the ecotoxicity of hospital effluents: a review. *Science of The Total Environment*, 454, 250-276.
- Pandey, C. L., Maskey, G., Devkota, K., and Ojha, H. (2019). Investigating the institutional landscape for urban water security in Nepal. *Sustainability: The Journal of Record*, 12(3), 173-181.
- Papinutti, V., Diorio, L., and Forchiassin, F. (2003). Production of laccase and manganese peroxidase by *Fomes sclerodermeus* grown on wheat bran. *Journal of Industrial Microbiology and Biotechnology*, 30(3), 157-160.
- Parrella, A., Kundi, M., Lavorgna, M., Criscuolo, E., Russo, C., and Isidori, M. (2014). Toxicity of exposure to binary mixtures of four anti-neoplastic drugs in *Daphnia magna* and *Ceriodaphnia dubia*. *Aquatic Toxicology*, 157, 41-46.
- Parrella, A., Lavorgna, M., Criscuolo, E., Russo, C., Fiumano, V., and Isidori, M. (2014). Acute and chronic toxicity of six anticancer drugs on *rotifers* and *crustaceans*. *Chemosphere*, 115, 59-66.
- Paskulin, G. A., Gazzola Zen, P. R., de Camargo Pinto, L. L., Rosa, R., and Graziadio, C. (2005). Combined chemotherapy and teratogenicity. *Birth Defects Research Part A: Clinical and Molecular Teratology*, 73(9), 634-637.



- Paudel, S., Kumar, P., Dasgupta, R., Johnson, B. A., Avtar, R., Shaw, R., Mishra, B. K., and Kanbara, S. (2021). Nexus between water security framework and public health: A comprehensive scientific review. *Water*, *13*(10), 1365.
- Pereira, C. S., Kelbert, M., Daronch, N. A., Michels, C., de Oliveira, D., and Soares, H. M. (2020). Potential of enzymatic process as an innovative technology to remove anticancer drugs in wastewater. *Applied Microbiology and Biotechnology*, *104*(1), 23-31.
- Pezzella, C., Macellaro, G., Sannia, G., Raganati, F., Olivieri, G., Marzocchella, A., Schlosser, D., and Piscitelli, A. (2017). Exploitation of *Trametes versicolor* for bioremediation of endocrine disrupting chemicals in bioreactors. *PLoS One*, *12*(6), e0178758.
- Pieczyńska, A., Fiszka Borzyszkowska, A., Ofiarska, A., and Siedlecka, E. M. (2017). Removal of cytostatic drugs by AOPs: A review of applied processes in the context of green technology. *Critical Reviews in Environmental Science and Technology*, *47*(14), 1282-1335.
- Polovich, M., and Martin, S. (2011). Nurses use of hazardous drug-handling precautions and awareness of national safety guidelines. In *Oncology nursing forum*, *38*(6).
- Preston, B. L., and Snell, T. W. (2001). Full life-cycle toxicity assessment using *rotifer* resting egg production: Implications for ecological risk assessment. *Environmental Pollution*, *114*(3), 399-406.
- Prieto, A., Möder, M., Rodil, R., Adrian, L., and Marco-Urrea, E. (2011). Degradation of the antibiotics norfloxacin and ciprofloxacin by a white-rot fungus and identification of degradation products. *Bioresource Technology*, *102*(23), 10987-10995.
- Pruijn, F. B., and DeWitte, R. S. (2004). A practical approach to improving drug transport in tumors. *Current Drug Discovery*, 29-32.

- Qin, Z., Yue, Q., Borrás-Hidalgo, O., and Liu, X. (2017). Laccase enzyme from *Trametes versicolor* with a high decolorizing ability on malachite green. *EC Microbiology*, 10(3), 127-133.
- Riva, F., Castiglioni, S., Fattore, E., Manenti, A., Davoli, E., and Zuccato, E. (2018). Monitoring emerging contaminants in the drinking water of Milan and assessment of the human risk. *International Journal of Hygiene and Environmental Health*, 221(3), 451-457.
- Roberts, P. H., and Thomas, K. V. (2006). The occurrence of selected pharmaceuticals in wastewater effluent and surface waters of the lower Tyne catchment. *Science of The Total Environment*, 356(1-3), 143-153.
- Rowney, N. C., Johnson, A. C., and Williams, R. J. (2009). Cytotoxic drugs in drinking water: a prediction and risk assessment exercise for the Thames catchment in the United Kingdom. *Environmental Toxicology and Chemistry*, 28(12), 2733-2743.
- Ruhí, A., Acuña, V., Barceló, D., Huerta, B., Mor, J.-R., Rodríguez-Mozaz, S., and Sabater, S. (2016). Bioaccumulation and trophic magnification of pharmaceuticals and endocrine disruptors in a Mediterranean river food web. *Science of The Total Environment*, 540, 250-259.
- Russo, C., Lavorgna, M., Česen, M., Kosjek, T., Heath, E., and Isidori, M. (2018). Evaluation of acute and chronic ecotoxicity of cyclophosphamide, ifosfamide, their metabolites/transformation products and UV treated samples. *Environmental Pollution*, 233, 356-363.
- Russo C., Lavorgna M., Piscitelli C., Isidori M. (2020) Toxicity of Anticancer Drug Residues in Organisms of the Freshwater Aquatic Chain. In: Heath E., Isidori M., Kosjek T., Filipič M. (eds). *Fate and Effects of Anticancer Drugs in the Environment*, (pp. 379-401), Springer, Cham.

- Ryder, G. (2017). The United Nations world water development report, 2017: Wastewater: the untapped resource: UNESCO. (Source: <https://stg-wedocs.unep.org/handle/20.500.11822/20448>)
- Sacher, F., Lange, F. T., Brauch, H.-J., and Blankenhorn, I. (2001). Pharmaceuticals in groundwaters: analytical methods and results of a monitoring program in Baden-Württemberg, Germany. *Journal of Chromatography A*, 938(1-2), 199-210.
- Santana-Viera, S., Montesdeoca-Esponda, S., Sosa-Ferrera, Z., and Santana-Rodríguez, J. (2016). Cytostatic drugs in environmental samples: An update on the extraction and determination procedures. *TrAC Trends in Analytical Chemistry*, 80, 373-386.
- Santos, L. H., Araújo, A. N., Fachini, A., Pena, A., Delerue-Matos, C., and Montenegro, M. (2010). Ecotoxicological aspects related to the presence of pharmaceuticals in the aquatic environment. *Journal of Hazardous Materials*, 175(1-3), 45-95.
- Sato, M., Okada, Y., Oto, T., Minami, M., Shiraishi, T., Nagayasu, T., Ypshino, I., Chida, M., Okumura, M., Date, H., Miyoshi, S., and Kondo, T. (2014). Registry of the Japanese Society of Lung and Heart–Lung Transplantation: official Japanese lung transplantation report, 2014. *General Thoracic and Cardiovascular Surgery*, 62(10), 594-601.
- Sebire, M., Allen, Y., Bersuder, P., and Katsiadaki, I. (2008). The model anti-androgen flutamide suppresses the expression of typical male stickleback reproductive behaviour. *Aquatic Toxicology*, 90(1), 37-47.
- Seira, J., Sablayrolles, C., Montréjaud-Vignoles, M., Albasi, C., and Joannis-Cassan, C. (2016). Elimination of an anticancer drug (cyclophosphamide) by a membrane bioreactor: Comprehensive study of mechanisms. *Biochemical Engineering Journal*, 114, 155-163.

- Singh, J., Saharan, V., Kumar, S., Gulati, P., and Kapoor, R. K. (2018). Laccase grafted membranes for advanced water filtration systems: a green approach to water purification technology. *Critical Reviews in Biotechnology*, 38(6), 883-901.
- Šnajdr, J., & Baldrian, P. (2007). Temperature affects the production, activity and stability of ligninolytic enzymes in *Pleurotus ostreatus* and *Trametes versicolor*. *Folia Microbiologica*, 52(5), 498-502.
- Sottani, C., Rinaldi, P., Leoni, E., Poggi, G., Teragni, C., Delmonte, A., and Minoia, C. (2008). Simultaneous determination of cyclophosphamide, ifosfamide, doxorubicin, epirubicin and daunorubicin in human urine using high-performance liquid chromatography/electrospray ionization tandem mass spectrometry: bioanalytical method validation. *Rapid Communications in Mass Spectrometry: An International Journal Devoted to the Rapid Dissemination of Up-to-the-Minute Research in Mass Spectrometry*, 22(17), 2645-2659.
- Sottani, C., Tranfo, G., Faranda, P., and Minoia, C. (2005). Highly sensitive high-performance liquid chromatography/selective reaction monitoring mass spectrometry method for the determination of cyclophosphamide and ifosfamide in urine of health care workers exposed to antineoplastic agents. *Rapid Communications in Mass Spectrometry: An International Journal Devoted to the Rapid Dissemination of Up-to-the-Minute Research in Mass Spectrometry*, 19(19), 2794-2800.
- Steger-Hartmann, T., Kümmerer, K., and Hartmann, A. (1997). Biological degradation of cyclophosphamide and its occurrence in sewage water. *Ecotoxicology and Environmental Safety*, 36(2), 174-179.
- Steger-Hartmann, T., Kümmerer, K., and Schecker, J. (1996). Trace analysis of the antineoplastics ifosfamide and cyclophosphamide in sewage water by twostep solid-

- phase extraction and gas chromatography-mass spectrometry. *Journal of Chromatography A*, 726(1-2), 179-184.
- Straub, J. O. (2010). Combined environmental risk assessment for 5-fluorouracil and capecitabine in Europe. *Integrated Environmental Assessment and Management*, 6(S1), 540-566.
- Sun, L., Zha, J., Spear, P. A., and Wang, Z. (2007). Toxicity of the aromatase inhibitor letrozole to Japanese medaka (*Oryzias latipes*) eggs, larvae and breeding adults. *Comparative Biochemistry and Physiology Part C: Toxicology and Pharmacology*, 145(4), 533-541.
- Talbot, C. J., Bennett, E. M., Cassell, K., Hanes, D. M., Minor, E. C., Paerl, H., Raymond, P. R., Vargas, R., Vidon, P. G., Wollheim, W., and Xenopolous, M. A. (2018). The impact of flooding on aquatic ecosystem services. *Biogeochemistry*, 141(3), 439-461.
- Taxe-Wuersch, A., De Alencastro, L. F., Grandjean, D., and Tarradellas, J. (2005). Occurrence of several acidic drugs in sewage treatment plants in Switzerland and risk assessment. *Water Research*, 39(9), 1761-1772.
- Ternes, T. A. (1998). Occurrence of drugs in German sewage treatment plants and rivers. *Water Research*, 32(11), 3245-3260.
- Ternes, T. A., Bonerz, M., Herrmann, N., Löffler, D., Keller, E., Lacida, B. B., and Alder, A. C. (2005). Determination of pharmaceuticals, iodinated contrast media and musk fragrances in sludge by LC tandem MS and GC/MS. *Journal of Chromatography A*, 1067(1-2), 213-223.
- Toolaram, A. P., Kuemmerer, K., and Schneider, M. (2014). Environmental risk assessment of anti-cancer drugs and their transformation products: a focus on their genotoxicity characterization-state of knowledge and short comings. *Mutation Research/Reviews in Mutation Research*, 760, 18-35.

- Tripathi, A. K., David, A., Govil, T., Rauniyar, S., Rathinam, N. K., Goh, K. M., and Sani, R. K. (2020). Environmental Remediation of Antineoplastic Drugs: Present Status, Challenges, and Future Directions. *Processes*, 8(7), 747.
- Unicef. (2011). *UNICEF Annual Report 2010*: Unicef. (Source: Unicef - 2011 - books.google.com)
- Vasiliadou, I., Sánchez-Vázquez, R., Molina, R., Martínez, F., Melero, J., Bautista, L., and Morales, G. (2016). Biological removal of pharmaceutical compounds using white-rot fungi with concomitant FAME production of the residual biomass. *Journal of Environmental Management*, 180, 228-237.
- Verlicchi, P., Al Aukidy, M., Galletti, A., Petrovic, M., and Barceló, D. (2012). Hospital effluent: investigation of the concentrations and distribution of pharmaceuticals and environmental risk assessment. *Science of The Total Environment*, 430, 109-118.
- Verlicchi, P., Al Aukidy, M., and Zambello, E. (2015). What have we learned from worldwide experiences on the management and treatment of hospital effluent?—An overview and a discussion on perspectives. *Science of The Total Environment*, 514, 467-491.
- Verlicchi P., Campos Garrigós A., Al Aukidy M. (2020). Occurrence of cytostatics in different water compartments. In: Heath E., Isidori M., Kosjek T., Filipič M. (eds). *Fate and Effects of Anticancer Drugs in the Environment*. (pp. 221-244), Springer, Cham.
- Verliefde, A. R., Heijman, S., Cornelissen, E., Amy, G., Van der Bruggen, B., and Van Dijk, J. (2007). Influence of electrostatic interactions on the rejection with NF and assessment of the removal efficiency during NF/GAC treatment of pharmaceutically active compounds in surface water. *Water Research*, 41(15), 3227-3240.

- Vidmar, J., Martinčič, A., Milačič, R., and Ščančar, J. (2015). Speciation of cisplatin in environmental water samples by hydrophilic interaction liquid chromatography coupled to inductively coupled plasma mass spectrometry. *Talanta*, 138, 1-7.
- Vyas, N., Turner, A., and Sewell, G. (2014). Platinum-based anticancer drugs in waste waters of a major UK hospital and predicted concentrations in recipient surface waters. *Science of The Total Environment*, 493, 324-329.
- Wang, J., Yamamoto, R., Yamamoto, Y., Tokumoto, T., Dong, J., Thomas, P., Hirai, H., and Kawagishi, H. (2013). Hydroxylation of bisphenol A by hyper lignin-degrading fungus *Phanerochaete sordida* YK-624 under non-ligninolytic condition. *Chemosphere*, 93(7), 1419-1423.
- Wang, L., Albasi, C., Faucet-Marquis, V., Pfohl-Leszkowicz, A., Dorandeu, C., Marion, B., and Causserand, C. (2009). Cyclophosphamide removal from water by nanofiltration and reverse osmosis membrane. *Water Research*, 43(17), 4115-4122.
- Wang, P., Hu, X., Cook, S., Begonia, M., Lee, K. S., & Hwang, H. M. (2008). Effect of culture conditions on the production of ligninolytic enzymes by white rot fungi *Phanerochaete chrysosporium* (ATCC 20696) and separation of its lignin peroxidase. *World Journal of Microbiology and Biotechnology*, 24(10), 2205-2212.
- Water, U. (2013). Water security and the global water agenda. *UN Water Analytical Brief*. Hamilton, Canada: UN University. (Source: <https://www.unwater.org/publications/water-security-global-water-agenda>)
- Weissbrodt, D., Kovalova, L., Ort, C., Pazhepurackel, V., Moser, R., Hollender, J., Siegrist, H., and McArdell, C. S. (2009). Mass flows of X-ray contrast media and cytostatics in hospital wastewater. *Environmental Science and Technology*, 43(13), 4810-4817.

- Wen, X., Jia, Y., and Li, J. (2010). Enzymatic degradation of tetracycline and oxytetracycline by crude manganese peroxidase prepared from *Phanerochaete chrysosporium*. *Journal of Hazardous Materials*, 177(1-3), 924-928.
- Williams, T. D., Caunter, J. E., Lillicrap, A. D., Hutchinson, T. H., Gillings, E. G., and Duffell, S. (2007). Evaluation of the reproductive effects of tamoxifen citrate in partial and full life-cycle studies using fathead minnows (*Pimephales promelas*). *Environmental Toxicology and Chemistry: An International Journal*, 26(4), 695-707.
- Wormington, A. M., De María, M., Kurita, H. G., Bisesi, J. H., Denslow, N. D., and Martyniuk, C. J. (2020). Antineoplastic Agents: Environmental Prevalence and Adverse Outcomes in Aquatic Organisms. *Environmental Toxicology and Chemistry*.
- Xiao, P., and Kondo, R. (2020). Biodegradation and biotransformation of pentachlorophenol by wood-decaying white rot fungus *Phlebia acanthocystis* TMIC34875. *Journal of Wood Science*, 66(1), 1-11.
- Xie, Z., Lu, G., Yan, Z., Liu, J., Wang, P., and Wang, Y. (2017). Bioaccumulation and trophic transfer of pharmaceuticals in food webs from a large freshwater lake. *Environmental Pollution*, 222, 356-366.
- Yin, J., Shao, B., Zhang, J., and Li, K. (2010). A preliminary study on the occurrence of cytostatic drugs in hospital effluents in Beijing, China. *Bulletin of Environmental Contamination and Toxicology*, 84(1), 39.
- Zhang, J., Chang, V. W., Giannis, A., and Wang, J.Y. (2013a). Removal of cytostatic drugs from aquatic environment: a review. *Science of The Total Environment*, 445, 281-298.
- Zhang, J., Chang, V. W. C., Giannis, A., and Wang, J.-Y. (2013b). Removal of cytostatic drugs from aquatic environment: A review. *Science of The Total Environment*, 445-446, 281-298.



- Zhang, T., Cai, L., Xu, B., Li, X., Qiu, W., Fu, C., & Zheng, C. (2019). Sulfadiazine biodegradation by *Phanerochaete chrysosporium*: Mechanism and degradation product identification. *Chemosphere*, 237, 124418.
- Zhang, Y., and Geißen, S.-U. (2010). In vitro degradation of carbamazepine and diclofenac by crude lignin peroxidase. *Journal of Hazardous Materials*, 176(1-3), 1089-1092.
- Zounkova, R., Kovalova, L., Blaha, L., and Dott, W. (2010). Ecotoxicity and genotoxicity assessment of cytotoxic antineoplastic drugs and their metabolites. *Chemosphere*, 81(2), 253-260.
- Zounková, R., Odráška, P., Doležalová, L., Hilscherová, K., Maršálek, B., and Bláha, L. (2007). Ecotoxicity and genotoxicity assessment of cytostatic pharmaceuticals. *Environmental Toxicology and Chemistry: An International Journal*, 26(10), 2208-2214.