

# Bibliography

- Aarset, M. V. (1987). How to identify a bathtub hazard rate. *IEEE Transactions on Reliability*, 36(1):106–108.
- Abdul-Moniem, I. B. and Abdel-Hameed, H. F. (2012). On exponentiated lomax distribution. *International Journal of Mathematical Archive*, 3:2144–2150.
- Abramowitz, M. and Stegun, I. A. (1964). *Handbook of mathematical functions with formulas, graphs, and mathematical tables*, volume 55. US Government printing office.
- Afify, A. Z., Kumar, D., and Elbatal, I. (2020a). Marshall–olkin power generalized weibull distribution with applications in engineering and medicine. *Journal of Statistical Theory and Applications*, 19(2):223–237.
- Afify, A. Z., Nassar, M., Cordeiro, G. M., and Kumar, D. (2020b). The weibull marshall–olkin lindley distribution: properties and estimation. *Journal of Taibah University for Science*, 14(1):192–204.
- Afify, A. Z., Nofal, Z. M., Yousof, H. M., El Gebaly, Y. M., and Butt, N. S. (2015). The transmuted weibull lomax distribution: properties and application. *Pakistan Journal of Statistics and Operation Research*, 11:135–152.
- Ahsanullah, M. and Alzaatreh, A. (2018). Parameter estimation for the log-logistic distribution based on order statistics. *REVSTAT*, 16(4):429–443.
- Ahsanullah, M., Shakil, M., and Golam, K. B. (2013). A characterization of the power function distribution based on lower records. 6:68–72.

- Ali, M. M., Woo, J., and Nadarajah, S. (2005). On the ratio  $x/(x+y)$  for the power function distribution. *Pakistan Journal of Statistics-All Series*, 21(2):131.
- Alkarni, S. H. (2015). Extended power lindley distribution: A new statistical model for non-monotone survival data. *European journal of statistics and probability*, 3(3):19–34.
- Alzaatreh, A., Lee, C., and Famoye, F. (2013). A new method for generating families of continuous distributions. *Metron*, 71(1):63–79.
- Arnold, B. C. and Balakrishnan, N. (2012). *Relations, bounds and approximations for order statistics*, volume 53. Springer Science & Business Media.
- Arnold, B. C., Balakrishnan, N., and Nagaraja, H. N. (2008). *A first course in order statistics*. SIAM.
- Balakrishnan, N., Chandramouleeswaran, M., and Ambagaspitaya, R. (1996). Blues of location and scale parameters of laplace distribution based on type-ii censored samples and associated inference. *Microelectronics Reliability*, 36(3):371–374.
- Balakrishnan, N. and Cohen, A. C. (1991). *Order statistics and inference: Estimation methods*. Academic Press.
- Balakrishnan, N. and Joshi, P. (1981). A note on order statistics from weibull distribution. *Scandinavian Actuarial Journal*, 1981(2):121–122.
- Balakrishnan, N. and Sultan, K. S. (1998). 7 recurrence relations and identities for moments of order statistics. *Handbook of statistics*, 16:149–228.
- Balakrishnan, N., Zhu, X., and Al-Zahrani, B. (2015). Recursive computation of the single and product moments of order statistics from the complementary exponential–geometric distribution. *Journal of Statistical Computation and Simulation*, 85(11):2187–2201.
- Bhaumik, D. K., Kapur, K., and Gibbons, R. D. (2009). Testing parameters of a gamma distribution for small samples. *Technometrics*, 51(3):326–334.

- Bouchahed, L. and Zeghdoudi, H. A new and unified approach in generalizing the lindley's distribution with applications. *STATISTICS*, 19(1):61–74.
- Bursa, N. and Gamze, O. (2017). The exponentiated kumaraswamy-power function distribution. *Hacettepe Journal of Mathematics and Statistics*, 46(2):277–292.
- Chang, S. K. (2007). Characterizations of the power function distribution by the independence of record values. *Journal of the Chungcheong Mathematical Society*, 20(2):139–146.
- Childs, A., Sultan, K., and Balakrishnan, N. (2000). Higher order moments of order statistics from the pareto distribution and edgeworth approximate inference. 207:244.
- Consul, P. C. and Famoye, F. (2006). Multivariate lagrangian distributions. *Lagrangian Probability Distributions*, 293:316.
- Cordeiro, G. M., Afify, A. Z., Yousof, H. M., Pescim, R. R., and Aryal, G. R. (2017a). The exponentiated weibull-h family of distributions: Theory and applications. *Mediterranean Journal of Mathematics*, 14(4):1–22.
- Cordeiro, G. M., Alizadeh, M., Silva, R. B., and Ramires, T. G. (2017b). A new wider family of continuous models: The extended cordeiro and de castro family. *Hacettepe Journal of Mathematics and Statistics*, 47(4):937–961.
- Cordeiro, G. M. and de Castro, M. (2011). A new family of generalized distributions. *Journal of statistical computation and simulation*, 81(7):883–898.
- Cordeiro, G. M., Ortega, E. M., and Ramires, T. G. (2015). A new generalized weibull family of distributions: Mathematical properties and applications. *Journal of Statistical Distributions and Applications*, 2(1):1–25.
- David, H. A. and Nagaraja, H. N. (2003). *Order statistics*. John Wiley & Sons.
- Efron, B. (1988). Logistic regression, survival analysis, and the kaplan-meier curve. *Journal of the American statistical Association*, 83(402):414–425.

- Elbatal, I. and Kareem, A. (2014). Statistical properties of kumaraswamy exponentiated lomax distribution. *Journal of modern Mathematics and statistics*, 8(1):1–7.
- Eugene, N., Lee, C., and Famoye, F. (2002). Beta-normal distribution and its applications. *Communications in Statistics-Theory and methods*, 31(4):497–512.
- Flajolet, P. and Odlyzko, A. (1990). Singularity analysis of generating functions. *SIAM Journal on discrete mathematics*, 3(2):216–240.
- Flajolet, P. and Sedgewick, R. (2009). *Analytic combinatorics*. cambridge University press.
- Galton, F. (1902). The most suitable proportion between the value of first and second prizes. *Biometrika*, 1(4):385–399.
- Genç, A. İ. (2012). Moments of order statistics of topp–leone distribution. *Statistical Papers*, 53(1):117–131.
- Ghitany, M. E., Atieh, B., and Nadarajah, S. (2008). Lindley distribution and its application. *Mathematics and computers in simulation*, 78(4):493–506.
- Hassan, A. S. and Abd-Allah, M. (2018). Exponentiated weibull-lomax distribution: properties and estimation. *Journal of Data Science*, 16(2):277–298.
- Hassan, A. S. and Abdelghafar, M. A. (2017). Exponentiated lomax geometric distribution: Properties and applications. *Pakistan Journal of Statistics and Operation Research*, 13:545–566.
- Ibrahim, M. (2017). The kumaraswamy power function distribution. *J. Stat. Appl. Probab*, 6:81–90.
- Jabeen, R., Ahmad, A., Feroze, N., and Gilani, G. M. (2013). Estimation of location and scale parameters of weibull distribution using generalized order statistics under type ii singly and doubly censored data. *Int J Adv Sci Technol*, 55:67–80.
- Jayakumar, K. and Mathew, T. (2008). On a generalization to marshall–olkin scheme and its application to burr type xii distribution. *Statistical Papers*, 49(3):421–439.

- Johnson, N., Kotz, S., and Balakrishnan, N. (1994). Equation 14.65 (from continuous univariate distributions, volume 1, ). *Continuous Univariate Distributions*, 1.
- Johnson, N. L., Kotz, S., and Balakrishnan, N. (1995). *Continuous univariate distributions, volume 2*, volume 289. John wiley & sons.
- Joshi, P. (1978). Recurrence relations between moments of order statistics from exponential and truncated exponential distributions. *Sankhyā: The Indian Journal of Statistics, Series B*, 39(4):362–371.
- Joshi, P. (1979a). A note on the moments of order statistics from doubly truncated exponential distribution. *Annals of the institute of statistical mathematics*, 31(2):321–324.
- Joshi, P. (1979b). On the moments of gamma order statistics. *Naval Research Logistics Quarterly*, 26(4):675–679.
- Joshi, P. (1982). A note on the mixed moments of order statistics from exponential and truncated exponential distributions. *Journal of Statistical Planning and Inference*, 6(1):13–16.
- Kamps, U. (1991). A general recurrence relation for moments of order statistics in a class of probability distributions and characterizations. *Metrika*, 38(1):215–225.
- Khan, A. (1991). A note on relation between binomial and negative binomial sums. *Aligarh J. Statist*, 11:91–92.
- Korkmaz, M. Ç., Cordeiro, G. M., Yousof, H. M., Pescim, R. R., Afify, A. Z., and Nadarajah, S. (2019). The weibull marshall–olkin family: Regression model and application to censored data. *Communications in Statistics-Theory and Methods*, 48(16):4171–4194.
- Krishnaiah, P. R. and Rizvi, M. H. (1967). A note on moments of gamma order statistics. *Technometrics*, 9(2):315–318.
- Kumar, D. (2015). Exact moments of generalized order statistics from type ii exponentiated log-logistic distribution. *Hacettepe Journal of Mathematics and Statistics*, 44(3):715–733.

- Kumar, D. and Dey, S. (2017a). Power generalized weibull distribution based on order statistics. *Journal of Statistical Research*, 51(1):61–78.
- Kumar, D. and Dey, S. (2017b). Relations for moments of generalized order statistics from extended exponential distribution. *American Journal of Mathematical and Management Sciences*, 36(4):378–400.
- Kumar, D., Dey, S., and Nadarajah, S. (2017). Extended exponential distribution based on order statistics. *Communications in Statistics-Theory and Methods*, 46(18):9166–9184.
- Kumar, D. and Goyal, A. (2019a). Generalized lindley distribution based on order statistics and associated inference with application. *Annals of Data Science*, 6(4):707–736.
- Kumar, D. and Goyal, A. (2019b). Order statistics from the power lindley distribution and associated inference with application. *Annals of Data Science*, 6(1):153–177.
- Kumar, D. and Khan, R. (2014). Moments of power function distribution based on ordered random variables and characterization. *Sri Lankan Journal of Applied Statistics*, 15(2).
- Kumar, D., Kumar, M., and Dey, S. (2020a). Inferences for the type-ii exponentiated log-logistic distribution based on order statistics with application. *Journal of Statistical Theory and Applications*, 19(3):352–367.
- Kumar, D., Kumar, M., and Joorel, J. S. (2020b). Estimation with modified power function distribution based on order statistics with application to evaporation data. *Annals of Data Science*, DOI:10.1007/s40745-020-00244-6.
- Lee, E. T. and Wang, J. (2003). *Statistical methods for survival data analysis*. John Wiley & Sons.
- Lehmann, E. L. (1953). The power of rank tests. *The Annals of Mathematical Statistics*, 24:23–43.
- Lieblein, J. (1955). On moments of order statistics from the weibull distribution. *The Annals of Mathematical Statistics*, 26(2):330–333.

- Lim, E. H. and Lee, M. Y. (2013). A characterization of the power function distribution by independent property of lower record values. *Journal of the Chungcheong Mathematical Society*, 26(2):269–273.
- Lindley, D. V. (1958). Fiducial distributions and bayes' theorem. *Journal of the Royal Statistical Society. Series B (Methodological)*, 20(1):102–107.
- Mahmoud, M., Sultan, K., and Moshref, M. (2005). Inference based on order statistics from the generalized pareto distribution and application. *Communications in Statistics—Simulation and Computation*®, 34(2):267–282.
- Malik, H. J. (1967). Exact moments of order statistics from a power-function distribution. *Scandinavian Actuarial Journal*, 1967(12):64–69.
- Marshall, A. W. and Olkin, I. (1997). A new method for adding a parameter to a family of distributions with application to the exponential and weibull families. *Biometrika*, 84(3):641–652.
- McDonald, J. B. (1984). Some generalized functions for the size distribution of income. *econometrica*, 52:647–663.
- Mead, M. (2016). On five-parameter lomax distribution: properties and applications. *Pakistan Journal of Statistics and Operation Research*, 12(1):185–199.
- Meniconi, M. and Barry, D. (1996). The power function distribution: A useful and simple distribution to assess electrical component reliability. *Microelectronics Reliability*, 36(9):1207–1212.
- Meyer, J. (1987). Two-moment decision models and expected utility maximization. *The American Economic Review*, 77(3):421–430.
- Mohie El-Din, M., Mahmoud, M., and Abo Youssef, S. (1991). Moments of order statistics from parabolic and skewed distributions and a characterization of weibull distribution. *Communications in Statistics-Simulation and Computation*, 20(2-3):639–645.

- Mudholkar, G. S., Srivastava, D. K., and Freimer, M. (1995). The exponentiated weibull family: A reanalysis of the bus-motor-failure data. *Technometrics*, 37(4):436–445.
- Navarro, J., Franco, M., and Ruiz, J. (1998). Characterization through moments of the residual life and conditional spacings. *Sankhyā: The Indian Journal of Statistics, Series A*, 60:36–48.
- Navarro, J., Ruiz, J. M., and Sandoval, C. J. (2007). Properties of coherent systems with dependent components. *Communications in Statistics—Theory and Methods*, 36(1):175–191.
- Naveed, S. M. and Asghar, Z. (2016). Transmuted power function distribution: A more flexible distribution. *Journal of Statistics and Management Systems*, 19(4):519–539.
- Oguntunde, P. E., Khaleel, M. A., Ahmed, M. T., Adejumo, A. O., and Odetunmibi, O. A. (2017). A new generalization of the lomax distribution with increasing, decreasing, and constant failure rate. *Modelling and Simulation in Engineering*, 2017:1–6.
- Okorie, I., Akpanta, A., Ohakwe, J., and Chikezie, D. (2017). The modified power function distribution. *Cogent Mathematics*, 4(1):1319592.
- Paixao, A. C. P. (2014). New extended lifetime distributions. *Journal of Mathematics*, 2020.
- Pearson, K. (1902). Note on francis galton’s problem. *Biometrika*, 1(4):390–399.
- Pescim, R. R., Cordeiro, G. M., Demétrio, C. G., Ortega, E. M., and Nadarajah, S. (2012). The new class of kummer beta generalized distributions. *SORT-Statistics and Operations Research Transactions*, 36:153–180.
- Quesenberry, C. P. and Hales, C. (1980). Concentration bands for uniformity plots. *Journal of Statistical Computation and Simulation*, 11(1):41–53.
- Rady, E. H. A., Hassanein, W., and Elhaddad, T. (2016). The power lomax distribution with an application to bladder cancer data. *SpringerPlus*, 5(1):1–22.
- Ramos, M. (2014). *Some new extended distributions: theory and applications. 2014. 88 f.* PhD thesis, Tese (Doutorado em Matemática Computacional). Centro de Ciências Exatas e da . . .



- Rao, G. S., Kantam, R., Rosaiah, K., and Prasad, S. (2012). Reliability test plans for type-ii exponentiated log-logistic distribution. *Journal of Reliability and Statistical Studies*, 5(1):55–64.
- Saleh, A. M. E., Scott, C., and Junkins, D. B. (1975). Exact first and second order moments of order statistics from the truncated exponential distribution. *Naval Research Logistics Quarterly*, 22(1):65–77.
- Samaniego, F. J. (1985). On closure of the ifr class under formation of coherent systems. *IEEE Transactions on Reliability*, 34(1):69–72.
- Sanmel, P. and Thomas, P. Y. (1997). Estimation of location and scale parameters of u-shaped distribution. *J Int Soc Agric Stat*, 50:75–94.
- Saran, J. and Pandey, A. (2004). Estimation of parameters of a power function distribution and its characterization by k-th record values. *Statistica*, 64(3):523–536.
- Saran, J. and Pushkarna, N. (2000). Relationships for moments of order statistics from a generalized exponential distribution. *Statistica*, 60(3):585–595.
- Sarhān, A. E. and Greenberg, B. G. (1962). *Contributions to order statistics*. Wiley.
- Shah, B. (1966). On the bivariate moments of order statistics from a logistic distribution. *The Annals of Mathematical Statistics*, 37(4):1002–1010.
- Shah, B. (1970). Note on moments of a logistic order statistics. *The Annals of Mathematical Statistics*, 41(6):2150–2152.
- Shams, T. M. (2013). The kumaraswamy-generalized lomax distribution. *Middle-East Journal of Scientific Research*, 17(5):641–646.
- Shekhawat, K. and Sharma, V. K. (2020). An extension of j-shaped distribution with application to tissue damage proportions in blood. *Sankhya B*, 83(3):1–27.

- Silva, R. B., Bourguignon, M., Dias, C. R., and Cordeiro, G. M. (2013). The compound class of extended weibull power series distributions. *Computational Statistics & Data Analysis*, 58:352–367.
- Sultan, K., Childs, A., and Balakrishnan, N. (2000). Higher order moments of order statistics from the power function distribution and edgeworth approximate inference. 245:282.
- Sultan, K. S. and Al-Thubyani, W. (2016). Higher order moments of order statistics from the lindley distribution and associated inference. *Journal of Statistical computation and Simulation*, 86(17):3432–3445.
- Tablada, C. J. and Cordeiro, G. M. (2019). The beta marshall-olkin lomax distribution. *REVSTAT–Statistical Journal*, 17(3):321–344.
- Tahir, M., Alizadeh, M., Mansoor, M., Cordeiro, G. M., and Zubair, M. (2016). The weibull-power function distribution with applications. *Hacettepe Journal of Mathematics and Statistics*, 45(1):245–265.
- Tahir, M. and Nadarajah, S. (2013). Parameter induction in continuous univariate distributions-part i: Well-established g-classes. *Communications in Statistics-Theory and Methods*, 87(2):539–68.
- Tahir, M. H., Cordeiro, G. M., Mansoor, M., and Zubair, M. (2015). The weibull-lomax distribution: properties and applications. *Hacettepe Journal of Mathematics and Statistics*, 44(2):455–474.
- Tarter, M. E. (1966). Exact moments and product moments of the order statistics from the truncated logistic distribution. *Journal of the American Statistical Association*, 61(314):514–525.
- Thomas, P. Y. and Samuel, P. (2008). Recurrence relations for the moments of order statistics from a beta distribution. *Statistical Papers*, 49(1):139–146.

- 
- Wasserman, G. (2003). *Reliability verification, testing, and analysis in engineering design*. CRC Press.
- Zeghdoudi, H., Nouara, L., and Yahia, D. (2018). Lindley pareto distribution. *STATISTICS*, 19(4):671–692.
- Zografos, K. and Balakrishnan, N. (2009). On families of beta and generalized gamma-generated distributions and associated inference. *Statistical methodology*, 6(4):344–362.