

List of Tables

1.1	Special cases of the WMOL distribution	19
2.1	Expected values, second moments, variances, skewness and kurtosis of the u th order statistic from THIELL distribution for $n = 1, 2, \dots, 10$, $\tau = 2.5$, $\eta = 2$ and $\varphi = 0.25$	31
2.2	Expected values, second moments, variances, skewness and kurtosis of the u th order statistic from THIELL distribution for $n = 1, 2, \dots, 10$, $\tau = 5$, $\eta = 2$ and $\varphi = 0.5$	32
2.3	Coefficient of the BLUEs of the a_u for $\tau = 1.5$	33
2.4	Coefficient of the BLUEs of the b_u for $\tau = 1.5$	34
2.5	Variances and covariance of the BLUEs when $\tau = 1.5$, $\delta = 0$ and $\varphi = 1$	35
2.6	Edgeworth approximate and the simulated (*) values of the distribution of U_1 when $\tau = 1.5$, $\delta = 0$ and $\varphi = 1$	36
2.7	Edgeworth approximate and the simulated (*) values of the distribution of U_2 when $\tau = 1.5$, $\delta = 0$ and $\varphi = 1$	37
2.8	Simulated values of the distribution of U_3 when $\tau = 1.5$, $\delta = 0$ and $\varphi = 1$	38
2.9	Mean, Variance and coefficients of skewness and kurtosis of U_1^* and U_2^* when $\tau = 1.5$, $\delta = 0$ and $\varphi = 1$	38

2.10	Average width of the Edgeworth and simulated(*) C.I.'s	39
3.1	Expected values, second moments and variances of the u th order statistic from MPF distribution for $n = 1, 2, \dots, 10$, $\alpha = 0.5$ and $\beta = 0.5$ (sim.=simulated) . . .	52
3.2	Expected values, second moments and variances of the u th order statistic from MPF distribution for $n = 1, 2, \dots, 10$, $\alpha = 0.5$ and $\beta = 1.0$ (sim.=simulated) . . .	53
3.3	Covariances of order statistics for $n = 2, 3, \dots, 10$, $\alpha = 0.5$ and $\beta = 0.5$	54
3.3	Continued.	55
3.3	Continued.	56
3.4	Coefficients of the BLUEs of the location parameter for $\alpha = 0.5$	57
3.5	Coefficients of the BLUEs of the scale parameter for $\alpha = 0.5$	58
3.6	Variances and covariance of the BLUEs when $\alpha = 0.5$, $\delta = 0$ and $\varphi = 1$	59
4.1	Moments, variances skewness and kurtosis of order statistic from EPL distribution $\tau = 2$, $\kappa = 0.5$ and $\xi = 5$	70
4.2	Moments, variances skewness and kurtosis of order statistic from EPL distribution for $\tau = 2$, $\kappa = 0.5$ and $\xi = 10$	71
4.3	Covariances of order statistics.	72
4.3	Continued.	73
4.3	Continued.	74
4.4	Coefficients of the BLUEs of the location parameter for $\tau = 0.5$, $\kappa = 2$	76
4.5	Coefficients of the BLUEs of the scale parameter for $\tau = 0.5$, $\kappa = 2$	77

4.6	Variations and covariance of the BLUEs when $\tau = 0.5$, $\kappa = 2$ and $\delta = 0$ and $\varphi = 1$.	78
5.1	First moments, second moments and variances of the u th order statistics from GTL distribution.	89
5.2	Covariances of order statistics.	93
5.2	Continued.	94
5.2	Continued.	95
5.2	Continued.	96
5.3	Coefficient of the BLUEs of the a_u	100
5.4	Coefficient of the BLUEs of the b_u	101
5.5	Variations and covariance of the BLUEs	101
6.1	Special cases of the WMOL distribution	106
6.2	Simulation study	118
6.3	Some competitive models to the WMOL distribution.	119
6.4	Descriptive statistics of both data sets (MD:= Mean deviation, Kr:= kurtosis, SK:= skewness, SE:= Shannon entropy).	120
6.5	The MLEs of the parameters of some models fitted to the bladder cancer patient's data.	121
6.6	The values of K-S, p- value, W^* and A^* statistics for some models fitted to the bladder cancer patient's data.	123
6.7	The MLEs of the parameters of some models fitted to the survival times of patients treated using RT data.	123

6.8 The values of K-S, p- value, (W^*) and (A^*) statistics for some models fitted to survival times of patients treated using RT data. 123